



2025 New Products

USA





COMING SOON!



Schluter®-DESIGN-NICHE

Schluter®-DESIGN-NICHE is a prefabricated niche made of powder-coated aluminum to create storage space for any wall area. Its adjustable frame fits any tile thickness for a flush installation or can be installed with a reveal edge for a stylish design. It is available in three different sizes, five TRENDLINE colors, and has the versatility to be installed horizontally or vertically. DESIGN-NICHE includes an adjustable anodized aluminum frame, precut KERDI-BAND frame and KERDI-FIX single-component sealing and bonding compound for waterproof applications.



Schluter®-DESIGN-NICHE					
Color-coated aluminum niche kit - 300 mm x 300 mm - 12" x 12" (nom.)					
Item No.	Color	Height 1	Height 2	Depth	\$ / Unit
DNA1 MBW	Matte White (MBW)	298 mm - 11-3/4"	298 mm - 11-3/4"	91.5 mm - 3-5/8"	340.00
DNA1 MGS	Matte Black (MGS)	298 mm - 11-3/4"	298 mm - 11-3/4"	91.5 mm - 3-5/8"	340.00
DNA1 TSI	Ivory (TSI)	298 mm - 11-3/4"	298 mm - 11-3/4"	91.5 mm - 3-5/8"	350.00
DNA1 TSBG	Greige (TSBG)	298 mm - 11-3/4"	298 mm - 11-3/4"	91.5 mm - 3-5/8"	350.00
DNA1 TSDA	Dark Anthracite (TSDA)	298 mm - 11-3/4"	298 mm - 11-3/4"	91.5 mm - 3-5/8"	350.00

Color-coated aluminum niche kit - 300 mm x 600 mm - 12" x 24" (nom.)					
Item No.	Color	Height 1	Height 2	Depth	\$ / Unit
DNA2 MBW	Matte White (MBW)	298 mm - 11-3/4"	598 mm - 23-9/16"	91.5 mm - 3-5/8"	460.00
DNA2 MGS	Matte Black (MGS)	298 mm - 11-3/4"	598 mm - 23-9/16"	91.5 mm - 3-5/8"	460.00
DNA2 TSI	Ivory (TSI)	298 mm - 11-3/4"	598 mm - 23-9/16"	91.5 mm - 3-5/8"	470.00
DNA2 TSBG	Greige (TSBG)	298 mm - 11-3/4"	598 mm - 23-9/16"	91.5 mm - 3-5/8"	470.00
DNA2 TSDA	Dark Anthracite (TSDA)	298 mm - 11-3/4"	598 mm - 23-9/16"	91.5 mm - 3-5/8"	470.00

Color-coated aluminum niche kit - 300 mm x 1200 mm - 12" x 48" (nom.)					
Item No.	Color	Height 1	Height 2	Depth	\$ / Unit
DNA3 MBW	Matte White (MBW)	298 mm - 11-3/4"	1198 mm - 47-3/16"	91.5 mm - 3-5/8"	600.00
DNA3 MGS	Matte Black (MGS)	298 mm - 11-3/4"	1198 mm - 47-3/16"	91.5 mm - 3-5/8"	600.00
DNA3 TSI	Ivory (TSI)	298 mm - 11-3/4"	1198 mm - 47-3/16"	91.5 mm - 3-5/8"	610.00
DNA3 TSBG	Greige (TSBG)	298 mm - 11-3/4"	1198 mm - 47-3/16"	91.5 mm - 3-5/8"	610.00
DNA3 TSDA	Dark Anthracite (TSDA)	298 mm - 11-3/4"	1198 mm - 47-3/16"	91.5 mm - 3-5/8"	610.00

Color-coated aluminum



9 New TRENDLINE Colors Available for KERDI-LINE-VARIO

AVAILABLE NOW!



HERRINGBONE



SLANT



FLORAL




SQUARE

Schluter®-TRENDLINE textured color-coated stainless steel

Schluter®-KERDI-LINE-VARIO					
Grate and Channel Kit – Textured color-coated stainless steel					
Length = cm - in.	HERRINGBONE	SLANT	FLORAL	SQUARE	\$ / Unit
	Item No.	Item No.	Item No.	Item No.	
122 - 48	KL VRI D13 + color* 122	KL VRI D14 + color* 122	KL VRI D5 + color* 122	KL VRI D3 + color* 122	336.60
244 - 96	KL VRI D13 + color* 244	KL VRI D14 + color* 244	KL VRI D5 + color* 244	KL VRI D3 + color* 244	591.60

*Color Codes




* To complete the item number, add the color code (e.g., KL VRI D3 TSI 122).

7 New TRENDLINE Colors Available for KERDI-LINE


AVAILABLE NOW!




SOLID (A)



19 mm - 3/4" Frame



SQUARE (B)




19 mm - 3/4" Frame

Schluter®-KERDI-LINE				
Grate assemblies - Textured color-coated stainless steel				
Length = cm - in.	SOLID (A)		SQUARE (B)	
	Item No.	\$ / Unit	Item No.	\$ / Unit
50 - 19-11/16	KL1AR 19 + color* 50	407.37	KL1B 19 + color* 50	370.72
60 - 23-5/8	KL1AR 19 + color* 60	419.05	KL1B 19 + color* 60	377.81
70 - 27-9/16	KL1AR 19 + color* 70	436.26	KL1B 19 + color* 70	398.68
80 - 31-1/2	KL1AR 19 + color* 80	447.54	KL1B 19 + color* 80	405.91
90 - 35-7/16	KL1AR 19 + color* 90	468.58	KL1B 19 + color* 90	428.02
100 - 39-3/8	KL1AR 19 + color* 100	496.61	KL1B 19 + color* 100	440.39
110 - 43-5/16	KL1AR 19 + color* 110	508.81	KL1B 19 + color* 110	456.14
120 - 47-1/4	KL1AR 19 + color* 120	518.02	KL1B 19 + color* 120	464.80
130 - 51-3/16	KL1AR 19 + color* 130	675.38	KL1B 19 + color* 130	675.38
140 - 55-1/8	KL1AR 19 + color* 140	709.23	KL1B 19 + color* 140	709.23
150 - 59-1/16	KL1AR 19 + color* 150	746.39	KL1B 19 + color* 150	746.39
160 - 62-15/16	KL1AR 19 + color* 160	794.66	KL1B 19 + color* 160	794.66
170 - 66-7/8	KL1AR 19 + color* 170	828.48	KL1B 19 + color* 170	828.48
180 - 70-13/16	KL1AR 19 + color* 180	875.95	KL1B 19 + color* 180	875.95



*Color Codes				
TSI	TSBG	TSSG	TSC	TSOB
Ivory	Greige	Stone grey	Cream	Bronze
TSG	TSDA			
Pewter	Dark anthracite			
* To complete the item number, add the color code (e.g., KL1B 19 TSI 50).				

New Matte White for KERDI-LINE


AVAILABLE NOW!



SOLID (A)




SQUARE (B)



Schluter®-KERDI-LINE

Grate assemblies - Matte color-coated stainless steel




19 mm - 3/4" frame height for
3 mm to 15 mm - 1/8" to 9/16" -thick coverings

Length = cm - in.	SOLID (A)		SQUARE (B)	
	Item No.	\$ / Unit	Item No.	\$ / Unit
50 - 19-11/16	KL1AR 19 MBW 50	395.51	KL1B 19 MBW 50	359.92
60 - 23-5/8	KL1AR 19 MBW 60	406.84	KL1B 19 MBW 60	366.80
70 - 27-9/16	KL1AR 19 MBW 70	423.56	KL1B 19 MBW 70	387.07
80 - 31-1/2	KL1AR 19 MBW 80	434.50	KL1B 19 MBW 80	394.09
90 - 35-7/16	KL1AR 19 MBW 90	454.93	KL1B 19 MBW 90	415.56
100 - 39-3/8	KL1AR 19 MBW 100	482.14	KL1B 19 MBW 100	427.55
110 - 43-5/16	KL1AR 19 MBW 110	493.99	KL1B 19 MBW 110	442.85
120 - 47-1/4	KL1AR 19 MBW 120	502.93	KL1B 19 MBW 120	451.27
130 - 51-3/16	KL1AR 19 MBW 130	655.71	KL1B 19 MBW 130	655.71
140 - 55-1/8	KL1AR 19 MBW 140	688.57	KL1B 19 MBW 140	688.57
150 - 59-1/16	KL1AR 19 MBW 150	724.65	KL1B 19 MBW 150	724.65
160 - 62-15/16	KL1AR 19 MBW 160	771.52	KL1B 19 MBW 160	771.52
170 - 66-7/8	KL1AR 19 MBW 170	804.35	KL1B 19 MBW 170	804.35
180 - 70-13/16	KL1AR 19 MBW 180	850.44	KL1B 19 MBW 180	850.44



2 New Horizontal Sizes for KERDI-BOARD-SNLT

AVAILABLE NOW!



Contents



1x
Niche



1x
Mounting profile



8x
KERDI-BOARD-ZS
Screws



1x
KERDI-BAND
waterproofing frame



1x
LED strip (warm white)



8x
KERDI-BOARD-ZT
Washers



1x
Stainless steel
connection box
with cover



1x
Self-adhesive
patch

Schluter®-KERDI-BOARD-SNLT

Niche with LIPROTEC LED lighting – horizontal installation

Item No.	Height	Width	Depth	LED color	\$ / Unit
KB 12 SNLT 4 WW F	305 mm - 12"	508 mm - 20"	89 mm - 3-1/2"	Warm white	350.50
KB 12 SNLT 5 WW F	305 mm - 12"	711 mm - 28"	89 mm - 3-1/2"	Warm white	438.50

i

KERDI-BOARD-SNLT niches in vertical format will soon include the KERDI-BAND waterproofing frame, screws, and washers. See back cover for details.

COMING SOON!



Schluter®-DILEX-STF

Schluter®-DILEX-STF is a maintenance-free expansion joint profile system made of aluminum. The interlocking center section allows for movement in 3 directions - horizontal, vertical, and along the length of the profile. The profile is fastened to the substrate with screws for a secure installation.

Available in 6 height and width combinations, it protects tile edges and can accommodate horizontal movement up to $\pm 1/4"$ (6 mm) in the $1-9/16"$ (40 mm) width, and $\pm 3/8"$ (10 mm) in the $2"$ (50 mm) width. DILEX-STF is intended for use in areas with heavy passenger and vehicle traffic, such as warehouses, production facilities, shopping centers, airports, train stations, or floor coverings cleaned by machine.

i

Limited quantities are kept in inventory. Please contact Customer Service for availability. Items not in stock require 6-8 weeks delivery time.





Schluter®-DILEX-STF 40

Length = 3.05 m - 10'	Structural movement joint profile (40 mm - 1-9/16")	
H = mm - in.	Item No.	\$ / Length
22 - 7/8	ASTF 22 40/300	560.00
40 - 1-9/16	ASTF 40 40/300	640.00
52 - 2-1/16	ASTF 52 40/300	670.00

Schluter®-DILEX-STF 50

Length = 3.05 m - 10'	Structural movement joint profile (50 mm - 2")	
H = mm - in.	Item No.	\$ / Length
22 - 7/8	ASTF 22 50/300	590.00
40 - 1-9/16	ASTF 40 50/300	670.00
52 - 2-1/16	ASTF 52 50/300	700.00

Schluter®-DILEX-AHK & DILEX-AHKA In Matte White and Matte Black



*Color Codes



* To complete the item number, add the **color** code (e.g., AHK 1S 80 **MGS**).

Schluter®-DILEX-AHK

Length = 2.5 m - 8' 2-1/2"	Matte color-coated aluminum						
H = mm - in.	Profile	\$ / Length	Outside corner, 90°	Outside corner, 135°	Inside corner, 90°	Inside corner, 135°	\$ / Unit
8 - 5/16	AHK 1S 80 + color*	44.57	E 90/AHK 1S/ + color*	E 135/AHK 1S/ + color*	I 90/AHK 1S/ + color*	I 135/AHK 1S/ + color*	27.01
10 - 3/8	AHK 1S 100 + color*	45.22					
12.5 - 1/2	AHK 1S 125 + color*	46.17					
Outside corner square, 90°	E90 Q/AHK 1S/+ color*						25.08
Connector	V/AHK						4.72
End cap	E/AHK 1S/+ color*						17.87

Schluter®-DILEX-AHKA

Length = 2.5 m - 8' 2-1/2"	Matte color-coated aluminum						
H = mm - in.	Profile	\$ / Length	Outside corner, 90°	Outside corner, 135°	Inside corner, 90°	Inside corner, 135°	\$ / Unit
8 - 5/16	AHKA 80 + color*	44.57	E 90/AHKA/ + color*	E 135/AHKA/ + color*	I 90/AHKA/ + color*	I 135/AHKA/ + color*	27.01
10 - 3/8	AHKA 100 + color*	45.22					
12.5 - 1/2	AHKA 125 + color*	46.17					
End cap (left)	EL/AHKA+ color*						17.87
End cap (right)	ER/AHKA+ color*						17.87

AVAILABLE NOW!

Schluter®-KERDI-LINE-A

Schluter®-KERDI-LINE-A is an adaptor kit designed to convert a traditional clamping ring drain to a KERDI-LINE linear drain when removal of the clamping ring drain is not practical (e.g., when it is set in concrete slabs). The stainless steel adaptor ring features an over-molded rubber gasket and a variety of perforated hole patterns that align with most common clamping ring shower drains. The adaptor ring replaces the clamping ring and is attached to the drain body using the clamping ring bolts. This connection is made watertight via the rubber gasket and KERDI-FIX adhesive/sealant. The KERDI-LINE channel body outlet slides into the adaptor ring, with a tight fit to the over-molded rubber gasket, ensuring a watertight seal. The KERDI-LINE-A adaptor kit is suitable for both mortar bed and KERDI-SHOWER-LT/-LTS shower tray applications.



Schluter®-KERDI-LINE-A			
Linear drain adaptor kit (140 mm - 5-1/2")			
1 UNIT		10-PACK*	
Item No.	\$ / Unit	Item No.	\$ / 10-Pack
KLAM 5K	45.90	KLAM 5K 10	413.10

***Note:**

10-packs are packaged in bulk, not individually boxed.



Additional component included



1x

KERDI-FIX
sealing and bonding compound
(100 ml - 3.38 fl oz)

Schluter®-KERDI-DRAIN-A The 5-1/2" (140 mm) adaptor kit features an improved configuration!

- The ring has been modified to make it compatible with a larger variety of clamping ring drains.
- The flange now accommodates the tileable grate.

Schluter®-KERDI-DRAIN-A		
140 mm - 5-1/2" adaptor kit		
Flange and ring	1 UNIT	
	Item No.	\$ / Unit
Also included: Height adjustment collar for KERDI-DRAIN grate	KDAM5 FLK ABS	90.73
	10-PACK*	
	Item No.	\$ / 10-Pack
	KDAM5 FLK ABS 10	816.59

***Note:** 10-packs are packaged in bulk, not individually boxed.

Additional components included



4x

Inside
corners



2x

Outside
corners



1x

Pipe seal
(20 mm - 3/4")



1x

Mixing
valve seal
(114 mm - 4-1/2")




1x

KERDI-FIX
sealing and bonding
compound (100 ml - 3.38 fl oz)

Schluter®-KERDI-SHOWER-CB

Schluter®-KERDI-SHOWER-CB is a 1" (2.5 cm)-thick compensation board used to accommodate the adaptor ring height when installing the KERDI-DRAIN-A or KERDI-LINE-A adaptor in conjunction with a KERDI-SHOWER prefabricated shower tray.



Schluter®-KERDI-SHOWER-CB				
Compensation board				
H = cm - in.	Item No.	Dimensions	\$ / Unit	Units / Bundle
2.5 - 1	KSCB 25 610 1220	122 cm x 61 cm - 48" x 24"	27.20	6*

*The 1" (2.5 cm)-thick compensation board (KSCB 25 610 1220) is sold in bundles of 6 units. Please order in multiples of the bundle quantity.

AVAILABLE NOW!


New Peel and Stick
for DITRA



Schluter®-DITRA-PS

Schluter®-DITRA-PS is a peel and stick membrane that features a pressure-sensitive adhesive (PSA) to bond the membrane to the substrate, replacing the need for thin-set mortar. Simply remove the transparent release film from the fleece side of the membrane to expose the layer of adhesive and embed into the substrate using a float, screed trowel, or DITRA-ROLLER. DITRA-PS offers the same core functions as DITRA: uncoupling, support/load distribution, waterproofing, and vapor management.

Note: For applications requiring compliance with or certification to the ANSI A118.10 American National Standard Specifications for Load Bearing, Bonded, Waterproof Membranes for Thin-Set Ceramic Tile and Dimension Stone Installation, select the DITRA membrane that is installed with thin-set mortar. Alternatively, the DITRA-PS membrane may be covered with the Schluter®-KERDI membrane, which is certified to meet ANSI A118.10.



Schluter®-DITRA-PS

Peel and stick uncoupling and waterproofing membrane 3.5 mm - 1/8"

Item No.	Dimensions	Format	\$ / ft² *	\$ / Unit
DITRAPs 110	0.985 m x 10.4 m = 10 m² 3' 2-3/4" x 34' 3/4" = 110 ft²	Roll	2.81	308.55
DITRAPs 25M	0.985 m x 25.4 m = 25 m² 3' 2-3/4" x 83' 4" = 269 ft²	Roll	2.65	713.39
DITRAPs MA	0.985 m x 0.74 m = 0.72 m² 3' 2-3/4" x 2' 5" = 7.75 ft²	Sheet	3.01	23.32

* The price per square foot is for estimation purposes only. Please order using the price per roll or per sheet.



Schluter®-PRIMER-PS

Schluter®-PRIMER-PS is a ready-to-use, one-component, solvent-free, water-based primer formulated to enhance the bond of Schluter peel and stick membranes to difficult-to-bond-to surfaces such as OSB, plywood, gypsum concrete, or vinyl. PRIMER-PS is suitable for use with Schluter®-DITRA-PS, DITRA-HEAT-PS, and DITRA-HEAT-DUO-PS peel and stick membranes and can be used in interior applications where increased adhesion is required over various porous and non-porous substrates. PRIMER-PS is freeze/thaw stable and contains zero VOCs.

Suitable Substrates:

- Concrete (above, below, and on grade)
- Plywood and OSB
- Gypsum underlayment
- Ceramic tile
- Porcelain tile
- Quarry tile
- Glass tile
- Terrazzo
- Steel



Schluter®-PRIMER-PS

Primer for peel and stick membranes

Item No.	Quantity	Coverage	\$ / Unit
PRM PS QT1	946 ml – 1 Qt.	5 - 10.5 m² – 50 - 113 ft²	19.89
PRM PS 1	3.78 L – 1 Gal.	23 - 42 m² – 250 - 450 ft²	55.12



The case quantity of the 1 quart (946 ml) format of PRIMER-PS (PRMPSQT1) is 12 units.
The case quantity of the 1 gallon (3.78 L) format of PRIMER-PS (PRMPS1) is 4 units.



Discontinued Items

Please note that the following products will be discontinued effective April 1, 2025.

- **ECK-KI**
- **ECK-E** in 135° angle
- **DILEX-MP** in brick red (ZR)
- **DILEX-AKWS** in sizes 5/16" (8 mm) and 11/32" (9 mm)
- **DILEX-EKSB** in stainless steel 316L (1.4404 = V4A)
- **DILEX-EDP** in sizes 5/16" (8 mm), 11/32" (9 mm), 17/32" (14 mm), 23/32" (18.5 mm), 1" (25 mm), and 1-3/16" (30 mm)
- **PRIMER-U** in 5-gallon (18.9 L) format

Please also be advised that SCHIENE in bright black and brushed graphite anodized aluminum (AGSG and AGRB), chrome-plated brass (MC), and in all colors of color-coated aluminum (AC) are being progressively discontinued. These products will only remain available while supplies last. Please refer to JOLLY as an alternative to these discontinued SCHIENE finishes.

Product Update

KERDI-BOARD-SNLT niches in vertical format will soon include the KERDI-BAND waterproofing frame, screws, and washers. The prefabricated shelf will no longer be included. Please note the new item codes for these products.

Schluter®-KERDI-BOARD-SNLT

Niche with LIPROTEC LED lighting – vertical installation

Item No.	Height	Width	Depth	LED color	\$ / Unit
KB 12 SNLT 1 WW F	305 mm - 12"	305 mm - 12"	89 mm - 3-1/2"	Warm white	309.04
KB 12 SNLT 2 WW F	508 mm - 20"	305 mm - 12"	89 mm - 3-1/2"	Warm white	326.98
KB 12 SNLT 3 WW F	711 mm - 28"	305 mm - 12"	89 mm - 3-1/2"	Warm white	356.70

Scan here
to download the
2025 Illustrated Price List

