






Product Item Numbers

8.2 Schluter®-KERDI-DRAIN



| 4" Grate Options | | | |
|--|---|---|--|
| Tileable Covering Support | Anodized Aluminum | | Stainless Steel |
|  <p>(ECS) Patent pending</p> |  <p>Brushed nickel (ATGB)</p> |  <p>Brushed copper (AKGB)</p> |  <p>Brushed brass (AMGB)</p> |
| | | |  <p>Pure</p> |
| | | |  <p>Curve</p> |
| | | |  <p>Floral</p> |
| | | |  <p>Oil-rubbed bronze (EOB)</p> |
| | | |  <p>Stainless steel (E)</p> |
| | | |  <p>Chrome (EP)</p> |
| 6" Grate Options | | | |
| Stainless Steel | | Stainless Steel Cover for Cleanout Applications | |
|  <p>(6E)</p> |  <p>(6RE)</p> |  <p>(6CE)</p> |  <p>(6RCE)</p> |
| Flange Options | | | |
| ABS - 2" or 3" Outlet | PVC - 2" or 3" Outlet | Stainless Steel - 2" or 3" No-hub Outlet | Stainless Steel - 2" Threaded Outlet |
|  |  |  |  |



DRAIN KITS - ABS or PVC FLANGE - 2" OR 3" OUTLET

| Schluter®-KERDI-DRAIN - Components - ABS or PVC Flange | | | |
|--|------------------|---|------------------------|
| 1 | Includes | Description | Quantity |
| | 1 KERDI-DRAIN | Drain with integrated bonding flange and grate assembly | 1 |
| | 2 KERDI-KERECK-F | Preformed waterproofing corners | 4 inside and 2 outside |
| | 3 KERDI-SEAL-PS | Pipe seal (3/4" - 20 mm) | 1 |
| | 4 KERDI-SEAL-MV | Mixing valve seal | 1 |

| 2" Drain Outlet | | |
|--|---------------------------|---------------------------|
| | ABS flange | PVC flange |
| 4" (100 mm) Square Grate | | |
| Tileable covering support (ECS)* | KD2/ABS/ECS ¹ | KD2/PVC/ECS ¹ |
| Stainless steel (E) | KD2/ABS/E ¹ | KD2/PVC/E ¹ |
| Chrome (EP) | KD2/ABS/EP ¹ | KD2/PVC/EP ¹ |
| Oil-rubbed bronze stainless steel (EOB) | KD2/ABS/EOB | KD2/PVC/EOB |
| Brushed brass anod. alu. (AMGB) | KD2/ABS/AMGB ¹ | KD2/PVC/AMGB ¹ |
| Brushed copper/ bronze anod. alu. (AKGB) | KD2/ABS/AKGB ¹ | KD2/PVC/AKGB ¹ |
| Brushed nickel anod. alu. (ATGB) | KD2/ABS/ATGB ¹ | KD2/PVC/ATGB ¹ |
| 6" (150 mm) Square or Round Grate | | |
| Square grate stainless steel (6E) | KD2/ABS/6E ¹ | KD2/PVC/6E ¹ |
| Round grate stainless steel (6RE) | KD2/ABS/6RE ¹ | KD2/PVC/6RE ¹ |





| 3" Drain Outlet | | |
|--|--------------------------|--------------------------|
| | ABS flange | PVC flange |
| 6" (150 mm) Square or Round Grate | | |
| Square grate stainless steel (6E) | KD3/ABS/6E ¹ | KD3/PVC/6E ¹ |
| Round grate stainless steel (6RE) | KD3/ABS/6RE ¹ | KD3/PVC/6RE ¹ |

¹ Listed by ICC-ES (Report No. PMG-1204), UPC®, CSA, and NSF
 * Patent pending

| Flange Measurements | | | |
|---------------------|---|--------------------------------|--------------------------------|
| ABS or PVC | | | |
| | | 2" (50 mm) drain outlet | 3" (75 mm) drain outlet |
| | A | 11-13/16" - 300 mm | 11-13/16" - 300 mm |
| | B | 4-17/32" - 115.2 mm | 4-17/32" - 115.2 mm |
| | C | 2-45/64" - 68.6 mm | 3-15/16" - 100 mm |
| | D | 2-3/8" - 60.5 mm | 3-1/2" - 88.8 mm |
| | E | 3-15/16" - 100 mm | 3-15/16" - 100 mm |
| | F | 1-39/64" - 40.6 mm | 2" - 50.8 mm |
| | G | 7/8" - 22.5 mm | 1-1/2" - 38.1 mm |



DRAIN KITS - STAINLESS STEEL FLANGE - 2" OR 3" NO-HUB OUTLET


| Schluter®-KERDI-DRAIN - Components - Stainless Steel Flange | | | |
|--|------------------|---|------------------------|
| 1 | Includes | Description | Quantity |
|  | 1 KERDI-DRAIN | Drain with integrated bonding flange and grate assembly | 1 |
| | 2 KERDI-KERECK-F | Preformed waterproofing corners | 4 inside and 2 outside |
|    | 3 KERDI-SEAL-PS | Pipe seal (3/4" - 20 mm) | 1 |
| | 4 KERDI-SEAL-MV | Mixing valve seal | 1 |
| | 5 KERDI-FIX | Sealing and bonding compound (66 ml) | 1 |

| 2" No-hub Outlet | |
|--|-------------------------|
| | Stainless steel flange |
| 4" (100 mm) Square Grate | |
| Tileable covering support (ECS)* | KD2/E/ECS ¹ |
| Stainless steel (E) | KD2/E/E ¹ |
| Chrome (EP) | KD2/E/EP ¹ |
| Oil-rubbed bronze stainless steel (EOB) | KD2/E/EOB |
| Brushed brass anod. alu. (AMGB) | KD2/E/AMGB ¹ |
| Brushed copper/ bronze anod. alu. (AKGB) | KD2/E/AKGB ¹ |
| Brushed nickel anod. alu. (ATGB) | KD2/E/ATGB ¹ |
| 6" (150 mm) Square or Round Grate | |
| Square grate stainless steel (6E) | KD2/E/6E ¹ |
| Round grate stainless steel (6RE) | KD2/E/6RE ¹ |

| 3" No-hub Outlet | |
|--|------------------------|
| | Stainless steel flange |
| 6" (150 mm) Square or Round Grate | |
| Square grate stainless steel (6E) | KD3/E/6E ¹ |
| Round grate stainless steel (6RE) | KD3/E/6RE ¹ |

¹ Listed by ICC-ES (Report No. PMG-1204), UPC®, CSA, and NSF

* Patent pending

| Flange Measurements | | | |
|---|---|---------------------------------|---------------------------------|
| Stainless steel | | | |
|  | | 2" (50 mm) no-hub outlet | 3" (75 mm) no-hub outlet |
| | A | 9-27/32" - 250 mm | 9-27/32" - 250 mm |
| | B | 4-1/2" - 115.4 mm | 4-1/2" - 114 mm |
| | C | 2-13/32" - 61.3 mm | 3-7/16" - 87.4 mm |
| | D | 2-13/32" - 60.6 mm | 3-5/16" - 84.2 mm |
| | E | 3-11/32" - 85 mm | 3-7/16" - 87.4 mm |
| | F | 53/64" - 21 mm | 1-5/32" - 29.4 mm |



GRATE & FLANGE KITS (sold separately)

| Grate Kit - Components | | |
|------------------------|--|------------------------|
| | | Patent pending |
| | | |
| Includes | Description | Quantity |
| 1a 1b Grate Assembly | a) For stainless steel and aluminum grates b) For tileable covering support | 1 |
| 2 KERDI-KERECK-F | Preformed waterproofing corners | 4 inside and 2 outside |
| 3 KERDI-SEAL-PS | Pipe seal (3/4" - 20 mm) | 1 |
| 4 KERDI-SEAL-MV | Mixing valve seal | 1 |

| Grate Kits | |
|---|----------------|
| Finish | Item No. |
| 4" (100 mm) Square Grate | |
| Tileable covering support (ECS)* | KD2/ECS/GR |
| Stainless steel (E) | KD2/E/GR |
| Chrome (EP) | KD2/EP/GR |
| Oil-rubbed bronze stainless steel (EOB) | KD2/EOB/GR |
| Pure | KDGIF10EBD8/GR |
| Curve | KDGIF10EBD6/GR |
| Floral | KDGIF10EBD5/GR |
| Brushed brass anod. alu. (AMGB) | KD2/AMGB/GR |
| Brushed copper anod. alu. (AKGB) | KD2/AKGB/GR |
| Brushed nickel anod. alu. (ATGB) | KD2/ATGB/GR |
| Stainless steel (E) with stainless steel height adjustment collar and lateral adjustment ring | KD2/E/E/GR |
| 6" (150 mm) Square or Round Grate | |
| Square grate stainless steel (6E) | KD2/6E/GR |
| Round grate stainless steel (6RE) | KD2/6RE/GR |
| 6" (150 mm) Square or Round Cover | |
| Square cover stainless steel (6CE) | KD-GR6C-E |
| Round cover stainless steel (6RCE) | KD-GR6RC-E |

Note: 6" square and round covers do not include the seals and corners.

* Patent pending

| Flange Kit - Components | |
|--------------------------------------|----------|
| | |
| Includes | Quantity |
| Drain with integrated bonding flange | 1 |

| Flange Kits | |
|--------------------------------------|------------|
| Material | Item No. |
| 2" (50 mm) Drain Outlet | |
| ABS | KD2/ABS/FL |
| PVC | KD2/PVC/FL |
| Stainless Steel with no-hub outlet | KD2/E/FL |
| Stainless Steel with threaded outlet | KD2/ETH/FL |
| 3" (75 mm) Drain Outlet | |
| ABS | KD3/ABS/FL |
| PVC | KD3/PVC/FL |
| Stainless Steel with no-hub outlet | KD3/E/FL |



Please note that flanges with 3" outlets are intended for use with 6" grates as these combinations have listings and certifications while flanges with 3" outlet combined with 4" grates do not. Please refer to the Listings and Certifications table on page 14.

Product Listings and Certifications Table

| Schluter®-KERDI-DRAIN | | | | | | | | | | | | | | |
|----------------------------------|---------------------|----|-----|------|------|------|------|---------|--------|-------|---------------------|-----|------|------|
| Bonding Flange 2" (50 mm) Outlet | Grate - 4" (100 mm) | | | | | | | | | | Grate - 6" (150 mm) | | | |
| | E | EP | EOB | AMGB | AKGB | ATGB | ECS* | Floral* | Curve* | Pure* | 6E | 6RE | 6CE | 6RCE |
| ABS / PVC | 1 | 1 | - | 1 | 1 | 1 | 1 | 3 | 3 | 3 | 1 | 1 | 2 | 2 |
| Stainless steel | 1 | 1 | - | 1 | 1 | 1 | 1 | 3 | 3 | 3 | 1 | 1 | 2 | 2 |
| Bonding Flange 3" (75 mm) Outlet | Grate - 6" (150 mm) | | | | | | | | | | | | | |
| | 6E | | | | | 6RE | | | | | 6CE | | 6RCE | |
| ABS / PVC | 1 | | | | | 1 | | | | | 2 | | 2 | |
| Stainless steel | 1 | | | | | 1 | | | | | 2 | | 2 | |

Various configurations of KERDI-DRAIN are listed by ICC-ES (Report No. PMG-1204), UPC®, CSA, and NSF as shown in the table above.

1 - Listed by ICC-ES (Report No. PMG-1204), UPC®, CSA, and NSF.

2 - Listed by CSA



3 - CSA, UPC, and ICC-ES listings in progress, please check www.schluter.com for the most up-to-date information.

* Patent pending

For copies of these documents, please contact Schluter®-Systems at 800-472-4588 (USA) or 800-667-8746 (Canada) or by email at info@schluter.com. Links to the documents can also be accessed at www.schluter.com.




DRAIN ADAPTOR KIT FOR USE WITH RESIDENTIAL CLAMPING RING DRAINS - ABS

| Schluter®-KERDI-DRAIN with residential adaptor ring and ABS flange | | | |
|---|------------------|---|------------------------|
| Includes | Description | Quantity | |
|  | 1 KERDI-DRAIN | Drain with integrated bonding flange and grate assembly | 1 |
| | 2 Adaptor ring* | For residential clamping ring drains | 1 |
| | 3 KERDI-KERECK-F | Preformed waterproofing corners | 4 inside and 2 outside |
|  | 4 KERDI-SEAL-PS | Pipe seal (3/4" - 20 mm) | 1 |
| | 5 KERDI-SEAL-MV | Mixing valve seal | 1 |
| | 6 KERDI-FIX | Sealing and bonding compound (66 ml) | 1 |

* © Schluter-Systems L.P., U.S. patent No. D593,641, other patents pending

| Residential Adaptor Kits - ABS Flange | |
|--|--------------------|
| | ABS bonding flange |
| 4" (100 mm) Square Grate | |
| Stainless steel (E) | KDAR/ABS/E |
| Chrome (EP) | KDAR/ABS/EP |
| Oil-rubbed bronze stainless steel (EOB) | KDAR/ABS/EOB |
| Brushed brass anod. alu. (AMGB) | KDAR/ABS/AMGB |
| Brushed copper/ bronze anod. alu. (AKGB) | KDAR/ABS/AKGB |
| Brushed nickel anod. alu. (ATGB) | KDAR/ABS/ATGB |

| Flange and adaptor ring measurements - Residential | | |
|---|-----------------|--------------------|
| ABS | | |
|  | Standard | |
| | A | 11-13/16" - 300 mm |
| | B | 2-13/32" - 60.7 mm |
| | C | 2.73" - 69.3 mm |
| | D | 5-1/4" - 133.4 mm |
| | E | 2-29/32" - 74 mm |
| | F | 1-1/64" - 25.9 mm |
| | G | 2-1/16" - 52.6 mm |



DRAIN ADAPTOR KIT FOR USE WITH COMMERCIAL CLAMPING RING DRAINS - ABS

| Schluter®-KERDI-DRAIN with commercial adaptor ring and ABS flange | | | |
|---|-----------------|---|----------|
| | Includes | Description | Quantity |
| | 1 KERDI-DRAIN | Drain with integrated bonding flange and grate assembly | 1 |
| | 2 Adaptor ring* | For commercial clamping ring drains | |
| | 3 KERDI-FIX | Sealing and bonding compound (66 ml) | |

* © Schluter-Systems L.P., U.S. patent No. D593,641, other patents pending

| Commercial Adaptor Kits - ABS Flange | | |
|--|-----------------------------|-----------------------------|
| | Standard ABS bonding flange | Extended ABS bonding flange |
| 4" (100 mm) Square Grate | | |
| Tileable covering support (ECS)* | KDA/ABS/ECS | KDA/ABSL/ECS |
| Stainless steel (E) | KDA/ABS/E | KDA/ABSL/E |
| Chrome (EP) | KDA/ABS/EP | KDA/ABSL/EP |
| Oil-rubbed bronze stainless steel (EOB) | KDA/ABS/EOB | KDA/ABSL/EOB |
| Brushed brass anod. alu. (AMGB) | KDA/ABS/AMGB | KDA/ABSL/AMGB |
| Brushed copper/ bronze anod. alu. (AKGB) | KDA/ABS/AKGB | KDA/ABSL/AKGB |
| Brushed nickel anod. alu. (ATGB) | KDA/ABS/ATGB | KDA/ABSL/ATGB |
| 6" (150 mm) Square or Round Grate | | |
| Square grate stainless steel (6E) | KDA/ABS/6E | KDA/ABSL/6E |
| Round grate stainless steel (6RE) | KDA/ABS/6RE | KDA/ABSL/6RE |

* Patent pending

| Flange and adaptor ring measurements - Commercial | | | |
|---|---|---------------------|---------------------|
| ABS | | | |
| | | Standard | Extended |
| | A | 11-13/16" - 300 mm | 11-13/16" - 300 mm |
| | B | 4-13/32" - 111.8 mm | 4-13/32" - 111.8 mm |
| | C | 4-11/16" - 118.9 mm | 4-11/16" - 118.9 mm |
| | D | 7-1/2" - 191 mm | 7-1/2" - 191 mm |
| | E | 5-7/64" - 130 mm | 5-7/64" - 130 mm |
| | F | 1-9/16" - 39.7 mm | 3-1/16" - 77.8 mm |
| | G | 2-9/64" - 54.3 mm | 3-41/64" - 92.4 mm |



DRAIN ADAPTOR KIT FOR USE WITH COMMERCIAL CLAMPING RING DRAINS - STAINLESS STEEL


| Schluter®-KERDI-DRAIN with commercial adaptor ring and stainless steel flange | | | |
|---|-----------------|---|----------|
| | Includes | Description | Quantity |
| | 1 KERDI-DRAIN | Drain with integrated bonding flange and grate assembly | 1 |
| | 2 Adaptor ring* | For commercial clamping ring drains | |
| | 3 KERDI-FIX | Sealing and bonding compound (66 ml) | |

* © Schluter-Systems L.P., U.S. patent No. D593,641, other patents pending



| Commercial Adaptor Kits - Stainless Steel Flange | |
|--|--------------------------------|
| | Stainless steel bonding flange |
| 4" (100 mm) Square Grate | |
| Tileable covering support (ECS)* | KDA/E/ECS |
| Stainless steel (E) | KDA/E/E |
| Chrome (EP) | KDA/E/EP |
| Oil-rubbed bronze stainless steel (EOB) | KDA/E/EOB |
| Brushed brass anod. alu. (AMGB) | KDA/E/AMGB |
| Brushed copper/ bronze anod. alu. (AKGB) | KDA/E/AKGB |
| Brushed nickel anod. alu. (ATGB) | KDA/E/ATGB |
| 6" (150 mm) Square or Round Grate | |
| Square grate stainless steel (6E) | KDA/E/6E |
| Round grate stainless steel (6RE) | KDA/E/6RE |

* Patent pending

| Flange and adaptor ring measurements - Commercial | | |
|---|-----------------|---------------------|
| Stainless steel | | |
| | Standard | |
| | A | 9-27/32" - 250 mm |
| | B | 4-9/16" - 115.7 mm |
| | C | 4-11/16" - 118.7 mm |
| | D | 7-1/2" - 191 mm |
| | E | 5-7/64" - 130 mm |
| | F | 1-9/16" - 39.7 mm |
| | G | 2-3/16" - 56.5 mm |



Note: There are multiple selections to be made for this product. Start by selecting the appropriate flange length then proceed to grate selection accordingly, keeping in mind there are two frame heights with two grate options (A or B), and a frameless option (D).




8.7 Schluter®-KERDI-LINE Bonding flange - stainless steel - center outlet


| L = in. - cm | L ₁ = in. - cm | Item No. |
|-----------------|------------------------------|--------------|
| 19-11/16 - 50 | 21-11/16 - 55 | KLV 60 E 50 |
| 23-5/8 - 60 | 25-5/8 - 65 | KLV 60 E 60 |
| 27-9/16 - 70 | 29-9/16 - 75 | KLV 60 E 70 |
| 31-1/2 - 80 | 33-1/2 - 85 | KLV 60 E 80 |
| 35-7/16 - 90 | 37-7/16 - 95 | KLV 60 E 90 |
| 39-3/8 - 100 | 41-3/8 - 105 | KLV 60 E 100 |
| 43-5/16 - 110 | 45-5/16 - 115 | KLV 60 E 110 |
| 47-1/4 - 120 | 49-1/4 - 125 | KLV 60 E 120 |
| 51-3/16 - 130 | 53-3/16 - 135 | KLV 60 E 130 |
| 55-1/8 - 140 | 57-1/8 - 145 | KLV 60 E 140 |
| 59-1/16 - 150 | 61-1/16 - 155 | KLV 60 E 150 |
| 62-15/16 - 160 | 64-15/16 - 165 | KLV 60 E 160 |
| 66-7/8 - 170 | 68-7/8 - 175 | KLV 60 E 170 |
| 70-13/16 - 180 | 72-13/16 - 185 | KLV 60 E 180 |

8.7 Schluter®-KERDI-LINE Bonding flange - stainless steel - off-center outlet

| L = in. - cm | L ₁ = in. - cm | Item No. |
|-----------------|------------------------------|---------------|
| 27-9/16 - 70 | 29-9/16 - 75 | KLVO 60 E 70 |
| 31-1/2 - 80 | 33-1/2 - 85 | KLVO 60 E 80 |
| 35-7/16 - 90 | 37-7/16 - 95 | KLVO 60 E 90 |
| 39-3/8 - 100 | 41-3/8 - 105 | KLVO 60 E 100 |
| 43-5/16 - 110 | 45-5/16 - 115 | KLVO 60 E 110 |
| 47-1/4 - 120 | 49-1/4 - 125 | KLVO 60 E 120 |



Closed (A) – brushed stainless steel



Perforated (B) – brushed stainless steel

8.7 Schluter®-KERDI-LINE

Grate assembly

Grate assembly - Brushed stainless steel



3/4" (19 mm) frame height for 1/8" to 9/16" (3 mm to 15 mm) -thick coverings

| Length = in. - cm | Item No. | |
|----------------------|----------------|---------------------|
| | Closed (A) | Grille perforée (B) |
| 19-11/16 - 50 | KLAR 19 EB 50 | KLB 19 EB 50 |
| 23-5/8 - 60 | KLAR 19 EB 60 | KLB 19 EB 60 |
| 27-9/16 - 70 | KLAR 19 EB 70 | KLB 19 EB 70 |
| 31-1/2 - 80 | KLAR 19 EB 80 | KLB 19 EB 80 |
| 35-7/16 - 90 | KLAR 19 EB 90 | KLB 19 EB 90 |
| 39-3/8 - 100 | KLAR 19 EB 100 | KLB 19 EB 100 |
| 43-5/16 - 110 | KLAR 19 EB 110 | KLB 19 EB 110 |
| 47-1/4 - 120 | KLAR 19 EB 120 | KLB 19 EB 120 |
| 51-3/16 - 130 | KLAR 19 EB 130 | KLB 19 EB 130 |
| 55-1/8 - 140 | KLAR 19 EB 140 | KLB 19 EB 140 |
| 59-1/16 - 150 | KLAR 19 EB 150 | KLB 19 EB 150 |
| 62-15/16 - 160 | KLAR 19 EB 160 | KLB 19 EB 160 |
| 66-7/8 - 170 | KLAR 19 EB 170 | KLB 19 EB 170 |
| 70-13/16 - 180 | KLAR 19 EB 180 | KLB 19 EB 180 |



1-1/8" (30 mm) frame height for 1/2" to 1" (13 mm to 25 mm) -thick coverings

| | | |
|---------------|----------------|---------------|
| 19-11/16 - 50 | KLAR 30 EB 50 | KLB 30 EB 50 |
| 23-5/8 - 60 | KLAR 30 EB 60 | KLB 30 EB 60 |
| 27-9/16 - 70 | KLAR 30 EB 70 | KLB 30 EB 70 |
| 31-1/2 - 80 | KLAR 30 EB 80 | KLB 30 EB 80 |
| 35-7/16 - 90 | KLAR 30 EB 90 | KLB 30 EB 90 |
| 39-3/8 - 100 | KLAR 30 EB 100 | KLB 30 EB 100 |
| 43-5/16 - 110 | KLAR 30 EB 110 | KLB 30 EB 110 |
| 47-1/4 - 120 | KLAR 30 EB 120 | KLB 30 EB 120 |


Grate assembly - Chrome




3/4" (19 mm) frame height for 1/8" to 9/16" (3 mm to 15 mm) -thick coverings

| Length = in. - cm | Item No. | |
|----------------------|----------------|---------------------|
| | Closed (A) | Grille perforée (B) |
| 19-11/16 - 50 | KLAR 19 EP 50 | KLB 19 EP 50 |
| 23-5/8 - 60 | KLAR 19 EP 60 | KLB 19 EP 60 |
| 27-9/16 - 70 | KLAR 19 EP 70 | KLB 19 EP 70 |
| 31-1/2 - 80 | KLAR 19 EP 80 | KLB 19 EP 80 |
| 35-7/16 - 90 | KLAR 19 EP 90 | KLB 19 EP 90 |
| 39-3/8 - 100 | KLAR 19 EP 100 | KLB 19 EP 100 |
| 43-5/16 - 110 | KLAR 19 EP 110 | KLB 19 EP 110 |
| 47-1/4 - 120 | KLAR 19 EP 120 | KLB 19 EP 120 |


Note: The perforated grate (B) is also available with a locking mechanism to prevent removal of the grate. For more information contact customer service at 800-472-4588 (US) or 800-667-8746 (CANADA).



Closed (A) – Chrome



Perforated (B) – Chrome



Frameless Tileable (D)

Schluter®-KERDI-LINE

Grate assembly - Frameless Tileable (D)


| Length = in. - cm | Item No. | |
|----------------------|--|---|
| | Frameless Tileable (D) | |
| | For use with channel body with center outlet | For use with channel body with off-set outlet |
| 19-11/16 - 50 | KLDRE 50 | - |
| 23-5/8 - 60 | KLDRE 60 | - |
| 27-9/16 - 70 | KLDRE 70 | KLDRO E 70 |
| 31-1/2 - 80 | KLDRE 80 | KLDRO E 80 |
| 35-7/16 - 90 | KLDRE 90 | KLDRO E 90 |
| 39-3/8 - 100 | KLDRE 100 | KLDRO E 100 |
| 43-5/16 - 110 | KLDRE 110 | KLDRO E 110 |
| 47-1/4 - 120 | KLDRE 120 | KLDRO E 120 |
| 51-3/16 - 130 | KLDRE 130 | - |
| 55-1/8 - 140 | KLDRE 140 | - |
| 59-1/16 - 150 | KLDRE 150 | - |
| 62-15/16 - 160 | KLDRE 160 | - |
| 66-7/8 - 170 | KLDRE 170 | - |
| 70-13/16 - 180 | KLDRE 180 | - |




Curve



Floral



Pure



Schluter®-KERDI-LINE-STYLE

Grate assembly - Brushed stainless steel



29/32" (23 mm) frame height for 1/4" to 11/16" (6 mm to 18 mm) -thick coverings

| Length = in. - cm | Item No. | Item No. | Item No. |
|----------------------|-----------------|-----------------|-----------------|
| | Curve | Floral | Pure |
| 19-11/16 - 50 | KLIFF 23 EB 50 | KLIFE 23 EB 50 | KLIFG 23 EB 50 |
| 23-5/8 - 60 | KLIFF 23 EB 60 | KLIFE 23 EB 60 | KLIFG 23 EB 60 |
| 27-9/16 - 70 | KLIFF 23 EB 70 | KLIFE 23 EB 70 | KLIFG 23 EB 70 |
| 31-1/2 - 80 | KLIFF 23 EB 80 | KLIFE 23 EB 80 | KLIFG 23 EB 80 |
| 35-7/16 - 90 | KLIFF 23 EB 90 | KLIFE 23 EB 90 | KLIFG 23 EB 90 |
| 39-3/8 - 100 | KLIFF 23 EB 100 | KLIFE 23 EB 100 | KLIFG 23 EB 100 |
| 43-5/16 - 110 | KLIFF 23 EB 110 | KLIFE 23 EB 110 | KLIFG 23 EB 110 |
| 47-1/4 - 120 | KLIFF 23 EB 120 | KLIFE 23 EB 120 | KLIFG 23 EB 120 |

Product Listings and Certifications Table

Schluter®-KERDI-LINE

| Bonding Flange | Grate | | | | | |
|--|-------|---|---|------------|-------------|-----------|
| | A | B | D | Curve (F)* | Floral (E)* | Pure (G)* |
| Center outlet - 19-11/16" - 47-1/4" (50 cm - 120 cm) | 1 | 1 | 1 | 3 | 3 | 3 |
| Center outlet - 51-3/16" - 70-13/16" (130 cm - 180 cm) | 1 | 1 | 1 | 3 | 3 | 3 |
| Off-set outlet - 27-9/16" - 47-1/4" (70 cm - 120 cm) | 1 | 1 | 1 | 3 | 3 | 3 |

Various configurations of KERDI-LINE are listed by ICC-ES (Report No. PMG-1204), UPC®, CSA, and NSF as shown in the table above.



1 - Listed by ICC-ES (Report No. PMG-1204), UPC®, CSA, and NSF.

2 - Listed by CSA.

3 - CSA, UPC, and ICC-ES listings in progress, please check www.schluter.com for the most up-to-date information.

* Patent pending

For copies of these documents, please contact Schluter®-Systems at 800-472-4588 (USA) or 800-667-8746 (Canada) or by email at info@schluter.com. Links to the documents can also be accessed at www.schluter.com.



14.1 Schluter®-KERDI-LINE-FC Cover plate

| Brushed stainless steel | Chrome | Width |
|-------------------------|-------------|----------------|
| Item No. | Item No. | |
| V / KLEB 35 | V / KLEP 35 | 1-3/8" - 35 mm |