


Schluter® Thin-set Mortar

Made for Schluter® membranes
and boards



PROFILE OF INNOVATION

NOW YOU'RE ALL SET.

A line of thin-set mortars specifically formulated for Schluter membranes and boards.



Schluter SET®

Premium Unmodified Thin-set Mortar

- Approved to set tile, including porcelain tile, over Schluter boards and membranes
- 50 lbs - 22.7 kg bag

ANSI A118.1



Schluter ALL-SET®

Specialized Modified Thin-set Mortar

- Engineered for use both under and over all DITRA and KERDI products
- 50 lbs - 22.7 kg bag

ANSI A118.4, A118.11, and A118.15






Schluter FAST-SET®

Specialized Rapid-setting Modified Thin-set Mortar

- Ready to grout in 4 hours for fast-track projects
- 50 lbs - 22.7 kg bag

ANSI A118.4TF, A118.11, and A118.15TF





FEATURES

SUITABLE USES



The line of Schluter thin-set mortar is designed by Schluter, for Schluter products. All Schluter Systems' thin-set mortars, including the ALL-SET and FAST-SET modified varieties can be used to set tile over Schluter®-DITRA, DITRA-HEAT, KERDI, and KERDI-BOARD products.

Workability

- Sag resistant
- Smooth and creamy
- Easy to handle and spread

Applications

- Large and heavy tile (LHT)
- Floors and walls
- Natural stone, ceramic (incl. porcelain)

Guaranteed Compatibility

- Providing “single source” supply
- No need to rely on third-party mortars
- No more finger-pointing!

| Application | Schluter SET® | Schluter ALL-SET® | Schluter FAST-SET® |
|---|---------------|-------------------|--------------------|
| DITRA® over | | | |
| Plywood/OSB | X | ✓ | ✓ |
| Concrete | ✓ | ✓ | ✓ |
| Gypsum | ✓ | ✓ | ✓ |
| Vinyl flooring | X | X | ✓ |
| KERDI® over | | | |
| Gypsum board | ✓ | ✓ | ✓ |
| Cement backerboard | ✓ | ✓ | ✓ |
| Fiber-cement board | ✓ | ✓ | ✓ |
| Portland cement mortar | ✓ | ✓ | ✓ |
| KERDI®-SHOWER prefabricated substrates | ✓ | ✓ | ✓ |
| TILE over DITRA® & KERDI® | | | |
| Ceramic | ✓ | ✓ | ✓ |
| Porcelain | ✓ | ✓ | ✓ |
| Natural stone (e.g., granite, marble, etc.) | ✓ | ✓ | ✓ |

- For Schluter Systems® applications, refer to the Schluter®-DITRA®, Schluter®-DITRA-HEAT™, and Schluter®-Shower System Installation Handbooks.
- For other applications, refer to the TCNA Handbook for Ceramic, Glass, and Stone Tile Installation and TTMAC Specification Guide D9 30 00 Tile Installation Manual.
- Contact Schluter®-Systems Technical Services for installation of glass tile, resin-backed tile, and/or moisture sensitive stone.

✓ = Approved use X = Not recommended

DITRA and DITRA-XL OR DITRA-HEAT and DITRA-HEAT-DUO membranes OR Shower System with KERDI or KERDI-BOARD OR KERDI and KERDI-DS + Schluter SET, Schluter ALL-SET, or Schluter FAST-SET = LIMITED LIFETIME WARRANTY AVAILABLE

*Applicable when used as a Thin-Set System. For full warranty details, please visit www.schluter.com/warranty

Schluter®-PRIMER-U

Universal primer



Bond with Confidence.

Ready-to-use, universal primer used to enhance adhesion of mortars for hard-to-bond substrates such as gypsum underlayment, raised access panels, and existing tile.



Find out more!



Schluter Systems L.P.

194 Pleasant Ridge Road, Plattsburgh, NY 12901-5841

Tel.: 800-472-4588 • Fax: 800-477-9783

Schluter Systems (Canada) Inc.

21100 chemin Ste-Marie, Ste-Anne-de-Bellevue, QC H9X 3Y8

Tel.: 800-667-8746 • Fax: 877-667-2410

[Schluter.com](https://www.schluter.com)