







3.4 Schluter®-TREP-FL



H = mm - in.	Item No.		
	Stainless steel 304 (1.4301 = V2A) (E)	Brushed stainless steel 304 (1.4301 = V2A) (EB)	Satin anodized aluminum (AE)
Length supplied: 8' 2-1/2" — 2.5 m			
9 - 11/32	FL 90 E	FL 90 EB	FL 90 AE
11 - 7/16	FL 110 E	FL 110 EB	FL 110 AE
12.5 - 1/2	FL 125 E	FL 125 EB	FL 125 AE
Length supplied: 4' 11" — 1.5 m			
9 - 11/32	FL 90 E / 150	FL 90 EB / 150	FL 90 AE / 150
11 - 7/16	FL 110 E / 150	FL 110 EB / 150	FL 110 AE / 150
12.5 - 1/2	FL 125 E / 150	FL 125 EB / 150	FL 125 AE / 150



Accessories	Item No.	
	Brushed stainless steel 304 (1.4301 = V2A) (EB)	Satin anodized aluminum (AE)
End cap	E/FLEB	E/FLAE



Note: Radius of leading edge = 5/16" - 8 mm.




3.2 Schluter®-TREP-SE

H = mm - in.	Item No.	
	Stainless steel support with thermoplastic rubber insert	Stainless steel support section 304 (1.4301 = V2A)
Length supplied: 8' 2-1/2" - 2.5 m		
8 - 5/16	<i>color*</i> 8 SE	TES 8
10 - 3/8	<i>color*</i> 10 SE	TES 10
12.5 - 1/2	<i>color*</i> 12 SE	TES 12
Length supplied: 4' 11" - 1.5 m		
8 - 5/16	<i>color*</i> 8 SE / 150	TES 8 / 150
10 - 3/8	<i>color*</i> 10 SE / 150	TES 10 / 150
12.5 - 1/2	<i>color*</i> 12 SE / 150	TES 12 / 150
Accessories	Item No.	
End cap	E 26 / <i>color*</i>	

3.2 Schluter®-TREP-SE

Item No.	
Replacement thermoplastic rubber insert	
Length supplied: 8' 2-1/2" - 2.5 m	
PE 26 / <i>color*</i>	
Length supplied: 10' - 3 m	
PE 26 / <i>color*</i> / 300	
*Color Codes	
CG Yellow	G Grey
HB Light beige	NB Nut brown
GS Black	
* To complete the item number, add the color code (e.g., G 10 SE).	



Note: Radius of leading edge = 5/16" - 8 mm.




3.2 Schluter®-TREP-S

H = mm - in.	Item No.	
	Aluminum support with thermoplastic rubber insert	Aluminum support section
Length supplied: 8' 2-1/2" - 2.5 m		
8 - 5/16	<i>color*</i> 8 S	TAS 8
10 - 3/8	<i>color*</i> 10 S	TAS 10
12.5 - 1/2	<i>color*</i> 12 S	TAS 12
Length supplied: 4' 11" - 1.5 m		
8 - 5/16	<i>color*</i> 8 S / 150	TAS 8 / 150
10 - 3/8	<i>color*</i> 10 S / 150	TAS 10 / 150
12.5 - 1/2	<i>color*</i> 12 S / 150	TAS 12 / 150
Accessories	Item No.	
End cap	E 26 / <i>color*</i>	

3.2 Schluter®-TREP-S

Item No.	
Replacement thermoplastic rubber insert	
Length supplied: 8' 2-1/2" - 2.5 m	
PEA 26 / <i>color*</i>	
Length supplied: 10' - 3 m	
PEA 26 / <i>color*</i> / 300	
Length supplied: 50' - 15 m	
PEA 26 / <i>color*</i> / 50	
*Color Codes	
CG Yellow	G Grey
HB Light beige	NB Nut brown
GS Black	
* To complete the item number, add the color code (e.g., G 10 S).	



Note: Radius of leading edge = 5/16" - 8 mm.





3.2 Schluter®-TREP-B

H = mm - in.	Item No.	
	Aluminum support with thermoplastic rubber insert	Aluminum support section
Length supplied: 8' 2-1/2" - 2.5 m		
8 - 5/16	<i>color*</i> 8 B	TAB 8
10 - 3/8	<i>color*</i> 10 B	TAB 10
12.5 - 1/2	<i>color*</i> 12 B	TAB 12
15 - 9/16	<i>color*</i> 15 B	TAB 15
25 - 1	<i>color*</i> 25 B	TAB 25
Length supplied: 4' 11" - 1.5 m		
8 - 5/16	<i>color*</i> 8 B / 150	TAB 8 / 150
10 - 3/8	<i>color*</i> 10 B / 150	TAB 10 / 150
12.5 - 1/2	<i>color*</i> 12 B / 150	TAB 12 / 150
15 - 9/16	<i>color*</i> 15 B / 150	TAB 15 / 150
25 - 1	<i>color*</i> 25 B / 150	TAB 25 / 150
Accessories	Item No.	
End cap	E 52 / <i>color*</i>	


3.2 Schluter®-TREP-B

Item No.	
Replacement thermoplastic rubber insert	
Length supplied: 8' 2-1/2" - 2.5 m	
PEA 52 / <i>color*</i>	
Length supplied: 10' - 3 m	
PEA 52 / <i>color*</i> / 300	
Length supplied: 50' - 15 m	
PEA 52 / <i>color*</i> / 50	
*Color Codes	
CG Yellow	G Grey
HB Light beige	NB Nut brown
GS Black	
* To complete the item number, add the color code (e.g., G 10 B).	



3.2 Schluter®-TREP-TAP

Item No.	
H = mm - in.	Satin anodized aluminum (AE)
Length supplied: 8' 2-1/2" - 2.5 m	
50 - 2	TAP 50 AE
61 - 2-13/32	TAPR 61 AE
Length supplied: 4' 11" - 1.5 m	
50 - 2	TAP 50 AE / 100
61 - 2-13/32	TAP 50 AE / 150
61 - 2-13/32	TAP 61 AE / 150





3.3 Schluter®-TREP-E

Item No.	
H = mm - in.	Stainless steel 304 (1.4301 = V2A)
Length supplied: 8' 2-1/2" - 2.5 m	
2 - 3/32	TE 20
5 - 3/16	TE 50
8 - 5/16	TE 80
11 - 7/16	TE 110
16 - 5/8	TE 160
25 - 1	TE 250
Length supplied: 4' 11" - 1.5 m	
2 - 3/32	TE 20 / 150
5 - 3/16	TE 50 / 150
8 - 5/16	TE 80 / 150
11 - 7/16	TE 110 / 150
16 - 5/8	TE 160 / 150
25 - 1	TE 250 / 150

Note: Sizes 80, 110, and 160 are also available in stainless steel 316L (1.4404 = V4A).




Accessories	Item No.
End cap	E/TE




3.3 Schluter®-TREP-EK

Item No.	
Stainless steel 304 (1.4301 = V2A)	
Length supplied: 8' 2-1/2" - 2.5 m	
TEK	
Length supplied: 4' 11" - 1.5 m	
TEK / 150	



3.3 Schluter®-TREP-EFK

Item No.	
Stainless steel 316L (1.4404 = V4A)	
Length supplied: 8' 2-1/2" - 2.5 m	
TEF 56K/V4A	



3.3 Schluter®-TREP-G-S

H = mm - in.	Item No.
	Brushed stainless steel support with non-slip tread (30 mm - 1-3/16")

Length supplied: 8' 2-1/2" - 2.5 m

9 - 11/32	GS EB 90 + color*
11 - 7/16	GS EB 110 + color*
13 - 33/64	GS EB 130 + color*
15 - 9/16	GS EB 150 + color*

Length supplied: 4' 11" - 1.5 m

9 - 11/32	GS EB 90 + color* / 150
11 - 7/16	GS EB 110 + color* / 150
13 - 33/64	GS EB 130 + color* / 150
15 - 9/16	GS EB 150 + color* / 150


Item No.

Replacement tread

Length supplied: 60' 1-1/32" - 18.3 m

GS KB 183 / color*

Accessories	Item No.
End cap	E/GS EB



*Color Codes



To complete the item number, add the color* code (e.g., GS EB 90 **GS**).

3.3 Schluter®-TREP-G-B

H = mm - in.	Item No.
	Brushed Stainless steel support with non-slip tread (55 mm - 2-5/32")

Length supplied: 8' 2-1/2" - 2.5 m

9 - 11/32	GB EB 90 + color*
11 - 7/16	GB EB 110 + color*
13 - 33/64	GB EB 130 + color*
15 - 9/16	GB EB 150 + color*

Length supplied: 4' 11" - 1.5 m

9 - 11/32	GB EB 90 + color* / 150
11 - 7/16	GB EB 110 + color* / 150
13 - 33/64	GB EB 130 + color* / 150
15 - 9/16	GB EB 150 + color* / 150

Item No.

Replacement tread

Length supplied: 60' 1-1/32" - 18.3 m

GB KB 183 / color*



Accessories	Item No.
End cap	E/GB EB



*Color Codes



To complete the item number, add the color* code (e.g., GB EB 90 **GS**).



3.3 Schluter®-TREP-GK-S

Item No.
Brushed stainless steel support with non-slip tread (34 mm - 1-11/32")

Length supplied: 8' 2-1/2" - 2.5 m

GS EBK + color*

Length supplied: 4' 11" - 1.5 m

GS EBK + color* / 150

Item No.

Replacement tread

Length supplied: 60' 1/32" - 18.3 m

GS KB 183 + color*

3.3 Schluter®-TREP-GK-B

Item No.
Brushed stainless steel support with non-slip tread (59 mm - 2-21/64")

Length supplied: 8' 2-1/2" - 2.5 m

GB EBK + color*

Length supplied: 4' 11" - 1.5 m

GB EBK + color* / 150

Item No.

Replacement tread

Length supplied: 60' 1/32" - 18.3 m

GB KB 183 + color*